2024 Odyssey

insport of pmf again per function of pmf again	INGINE	EX-L	TOURING	BLACK EDITION
gas (b. 4. get part)920 (b. 4700)920 (b. 4700)920 (b. 4700)920 (b. 4700)92779277927793779	8.5-litre, 24-valve, Direct Injection, SOHC, i-VTEC [®] V6	•	•	•
jakasian star.g galasian star.g galasi	lorsepower @ rpm1	~	9	-
iskanar, namingThe 3 & 195The 3 & 195The 3 & 195and strink (mon)8 × 8388 × 8388 × 83mperession ratio1.5.111.5.111.5.10. Assist "system"000esting difficiant (Management" (Mon)000esting difficiant functional (Mon)1000esting difficiant functional (Mon)1000NUTRANEKLTOURING00NUTRANEKLTOURING00Nutrant functional (Mon)0000NUTRANEKLTOURING000Nutrant functional (Mon)00000Nutrant functional (Mon)00000Nutrant functional (Mon)000000Nutrant functional (Mon)00000000Nutrant functional (Mon)00 </td <td>Forque (lbft. @ rpm)1</td> <td>262 @ 4700</td> <td>262 @ 4700</td> <td>262 @ 4700</td>	Forque (lbft. @ rpm)1	262 @ 4700	262 @ 4700	262 @ 4700
re and stock (mm) B3 A31 B9 A32 B9 A32 B9 A32 B5 A3	Displacement (cc)	3471	3471	3471
mpression raise tayleriton to Assert System Construction status of logic method status of logic m	missions rating	Tier 3 Bin 125	Tier 3 Bin 125	Tier 3 Bin 125
seingention or solver "geform and explore Management" (VCM) is all cylinder Management" (VCM) is an explored Mathatic transmission with Gradie Logic Control is mode harding three period Mathatic transmission with Gradie Logic Control is mode harding three period Mathatic transmission with Gradie Logic Control is mode harding three period Mathatic transmission with Gradie Logic Control is mode harding three is three	ore and stroke (mm)	89 x 93	89 x 93	89 x 93
Asale "getpen•••rate clocked Management" (CMM)RegularRegularRegularrate clocked Management" (CMM)RegularRegularRegularINTERAMKALFOURINGELACK EDITIONweed advented to faile logic Control···reining weed advented to faile logic Control····reining weed advented to faile logic Control·····reining weed advented to faile logic Control··	Compression ratio	11.5:1	11.5:1	11.5:1
eitap intervent (VotM) eitap intervent eitap intervent (VotM) eitap intervent (VotM) eitap intervent (VotM) eitap intervent eitap inter	Direct injection	•	•	•
eitap intervent (VotM) eitap intervent eitap intervent (VotM) eitap intervent (VotM) eitap intervent (VotM) eitap intervent eitap inter	Eco Assist™ system	•	•	
inde Cyntagenaet" (VCM")··Piede RegularRegularRegularRegularNUTRAINEX-LTOURINGBLACK EDITIONin peed automatic transition with Grade Logic Control···ing whate incontracic paddae shifters····in control paddae shifters·····in control paddae shifters··· <t< td=""><td>dle-stop</td><td>•</td><td>•</td><td>•</td></t<>	dle-stop	•	•	•
command command tensorHegularHegularHegularINSTRAINEVLTOURINGBLACK EDITIONSpeed automit commission with Grade Logic Control••eming wheel-mounted padde shifters•••International ender tensor•••ON mode Luttor••••of drive ratio3.013.013.013.013.01wing capachy (kg)13171317131713171317lauminum-alloy wheelsMachine-finished with Shark Grey nearShark KEDTION Shark Grey near••aduminum-alloy wheelsMachine-finished with Shark Grey near••••aduminum-alloy wheelsP255/05 RN 101HP255/05 RN 101HP255/05 RN 101H••• <td></td> <td>٠</td> <td>•</td> <td></td>		٠	•	
EVERAMM EV.L TOURING BLACK EDITION speed automatic transmission with Grade Logic Control and with an automatic drade shifters - - speed automatic transmission with Grade Logic Control and with an automatic drade shifters - - often automatic drade shifters - - - - often automatic drade shifters -		Regular	Regular	Regular
speed automatic transmission with Grade Lage Control ener wheel drive (FWD) Chorede batton control drive (FWD) Chorede batton Chorede batto		-	-	_
lering wheel mounted paid eahiers ON mode battan al char earis ON mode battan al char earis ow mode ow mode ON mode battan al char earis ON mode battan ow mode ON mode battan ow mode ON mode battan ON mode battan ow mode ON mode battan ON M		EX-L		BLACK EDITION
nrblack the (FWD)00 made buttom3.613.613.613.61al dhra ratio3.613.613.613.61ow made3.673.673.673.67by segnachy' (kg)18.9715.973.5873.597by segnachy and the segnation of the segnation		٠	•	•
ON mode buttonad drive ratio3.613.613.613.61ad drive ratio3.613.613.61ad drive ratio1.8271.8271.827DVSUSPENSIONCHASSISEX-LTOURINGBLACK EDITONaduminum-alloy wheelsMachine-finished with Shafk Grey innut.Shafk Grey innut.Shafk Grey innut.aduminum-alloy wheelsP255/50 R19 1011P255/55 R19 1011P255/55 R19 1011P255/55 R19 1011pless heling systemadama there sees and the see and the sees	teering wheel-mounted paddle shifters	•	•	•
ald in a data3.613.613.613.61wing capacity? (kg)1857185718571557IDVAUSEEkTOURINGREAK EDUTONaluminum-alloy whealsTaberine-finished with Stark Grey insertTaberine-finished with Stark Grey insertCost Stark Grey insertaluminum-alloy whealsP255/60 / RB 10314P255/58 / RB 10114P255/58 / RB 1014P255/58 / RB 1014asses on tiresP255/60 / RB 1034P255/58 / RB 1014P255/58 / RB 1014P255/58 / RB 1014P255/58 / RB 1014and stark free dataP255/60 / RB 1034P255/58 / RB 1014P255/58 / RB 1014P	ront-wheel drive (FWD)	•	•	•
owing depacity ¹ (kg)··USPSUSPENSIONCHASSISEX-LTOURINGBLACK EDITONaluminum-alloy wheelsMachine-finished with Shark Grey insertShark Grey insertShark Grey insert'aluminum-alloy wheelsP255/56 R19 1014P255/55 R19 1014P255/55 R19 1014P255/55 R19 1014-eason triesP255/66 R19 1028P255/55 R19 1014P255/55 R19 1014P25	CON mode button	•	•	•
wing capacity? (kg)158715871587by sequency? (kg)BCOut ResBLACE DOTIONaluminum-alloy wheelsMachine-finished with Shark Gray insertMachine-finished with Shark Gray insertCShark Gray insert	inal drive ratio	3.61	3.61	3.61
EX-L TOURING BLACK EDITION aluminum-alloy wheels Machine-finished with Shark Grey insert Glass black 'aluminum-alloy wheels P255/60 RIB IO3H P255/60 RIB IO3H P255/50 RIB IO1H P255/50 RIB IO1H -season tries P255/60 RIB IO3H P255/50 RIB IO1H P255/50 RIB IO1H P255/50 RIB IO1H -season tries P255/60 RIB IO3H P255/50 RIB IO1H P255/50 RIB IO1H P255/50 RIB IO1H -season tries P255/60 RIB IO3H P255/50 RIB IO1H P255/50 RIB IO1H P255/50 RIB IO1H -season strut front suspension - - - - It-Interger suspension - - - - It-Interger suspension - - - - - It-Interger suspension -	now mode	•	•	•
Dyspace Dexise TOURING BLACK EDITION aluminum-alloy wheels Machine-finished with Shark Grey insert Gloss black 'aluminum-alloy wheels P235/05 R18 103H P235/05 R18 101H Gloss black 'season tires P235/05 R18 103H P235/05 R18 101H P235/05 R18 101H 'season tires P235/05 R18 101H P235/05 R18 101H P235/05 R18 101H 'season tires P235/05 R18 101H P235/05 R18 101H P235/05 R18 101H 'season tires P235/05 R18 101H P235/05 R18 101H P235/05 R18 101H 'season tires P235/05 R18 101H P235/05 R18 101H P235/05 R18 101H 'season tires Stark Grey insert C C 'season tires insert Stark Grey insert C C	owing capacity ² (kg)	1587	1587	1587
aluminum-alloy wheels Machine-finished with shark Grey insert Machine-finished with shark Grey insert Gloss back •=asaon tires P235/50 R18 103H P235/55 R19 101H P235/55 R19 101H mpact spare tire • • • mpact spare tire • • • ethers on stuff for suspension • • • ethers on stuff for suspension • • • tiet link for suspension with trailing arms • • • we reaskied, we related for of suspension 2.97 2.97 2.97 we reaskied, we related for of suspension • • • tothig beam ¹ • • • • tothig beam ¹ • • •				
Shark Grey insert Samoun-Blow Whels Shark Grey insert Shark Grey in			TOURING	BLACK EDITION
aluminum-alloy wheelsMachine -finished with Also back Machine -finished with Shark Grey insertCloss back shark Grey insert	aluminum-alloy wheels			
seasen time seasen timm seasen timm seasen timm seasen timm seasen timm seasen	aluminum-allov wheels	Shark Gley Hisert	Machine-finished with	Gloss black
season timesP238/60 P18 102HP235/55 P19 101HP235/55 P19 101Hpless fueling system••••pless fueling system•• <t< td=""><td>a animan alloy whole</td><td></td><td></td><td>GIUGG DILLON</td></t<>	a animan alloy whole			GIUGG DILLON
pless fuing system protes pare tire protes pare tire pare tire protes pare tire	ll-season tires	P235/60 R18 103H		P235/55 R19 101H
mpact spare tire•••etcronic Parking Brake (EPB) with atomatic brake hold•••etcronic Parking Brake (EPB) with atomatic brake hold•••etcronic Parking Brake (Spolit ear disc brakes•••war-assited, weith atomatic brake hold26.5/2026.5/2026.5/20war-assited, weith atomatic brake hold2.972.972.97TWE SAFETYEVLTOURINGBLACK EDITONate Assist••••ate Assist••••to high beam ¹ •••••Utigation Brake, System ¹⁰ (DMS) system (HS7)•••••to high beam ¹ ••		•	•	•
etronic Parking Brake (EPB) with automatic brake hold icPherson strut front suspension icPherson strut front suspension icPherson strut front suspension icPherson strut front disc/solid rear disc brakes icPherson strut front disc brakes icPherson icPhers		•		
uchenession strut front suspensionith-link mar suspension with trailing armsuer-assisted, ventilated front disc/solid rear disc brakesublizer bar - front/rear (rm)26.5/2026.5/2026.5/20sering wheat turns, lock-to-lock25.7/202.972.97ither suspension with trailing armsither suspension with trailing arms26.5/2026.5/2026.5/20sering wheat turns, lock-to-lockither suspension with trailing armsither suspension with trailing armsither suspension with trailing armssering wheat turns, lock-to-lock				
thit link rear suspension with trailing arms•••wer assisted, ventilated front disc/sold rear disc brakes25.5/2025.5/2026.5/2026.5/20wer assisted, ventilated front disc/sold rear disc brakes2.972.972.97terms hole lurns, lock-to-lock2.972.972.97terms hole lurns, lock-to-lock2.972.972.97terms hole lurns, lock-to-lock2.972.972.97terms hole lurns, lock-to-lock2.972.972.97terms hole lurns, lock-to-lock1.00.00.00.0terms hole lurns hole lurns, lock-to-lock1.00.00.00.00.0terms hole lurns hole				
wer-asisted, ventilated front disc/solid rear disc brakes • • biblizer bar - front/rear (mm) 26.5/20 26.5/20 ering wheel turns, lock-to-lock 2.97 2.97 CTUE SAFETY EX-L TOURING BLACK EDITION ake Assist • • • octronic Brake-force Distribution (EBD) • • • to high beam ² • • • • ward Collision Warning ⁶ (CWUS ⁵) (HS ⁵) • • • • ward Collision Warning ⁶ (CWUS ⁵) system (HS ⁵) • • • • • be Departure Warning ⁶ (CWUS ⁵) system (HS ⁵) •		•		
biblizer bar - front/rear (mm)26.5/2026.5/2026.5/20tering wheel turns, lock-to-lock2.972.972.97TTVE SAFETYEVTOURINGBLACE EDITIONtake Assisttotonic Brake-force Distribution (EBD)totonic Brake force Distribution (EBD)totonic Brake force Distribution (EBD)toto high beam?Ward Collision Warning* (FCW) system (HS*)toto high beam?Ward Collision Warning* (FCW) system (HS*)and Departure Marning* (FCW) system (HS*) <td></td> <td>•</td> <td>•</td> <td>•</td>		•	•	•
sering wheel turns, lock-to-lock2.972.97TTVE SAFETYEx-LTOURINGBLACK EDITIONake Assistto high beam ³ to by System (HS')near Collsion Marning (FCM) system (HS')all Departure Mitigation (ROM) system (HS')all Departure Mitigation (ROM) system (HS')tifte Sign Recognition (HS')to all departure Mitigation (ROM) system (HS') <t< td=""><td></td><td></td><td></td><td>•</td></t<>				•
THE SAFETYEX-LTOURINGBLACK EDITIONake Assist••••eteronic Brake-force Distribution (EBD)••••to high beam³•••••Illision Mitigation Braking System"** (CMBS") (HS*)•••••me Departure Warning" (LOW) system (HS*)••<				
ake Assist•••etcronic Brake-force Distribution (EBD)••••to high beam?•• </td <td>teering wheel turns, lock-to-lock</td> <td>2.97</td> <td>2.97</td> <td>2.97</td>	teering wheel turns, lock-to-lock	2.97	2.97	2.97
ettronic Brake-force Distribution (EBD)••to high beam³•••Illision Mitigation Braking System"**I (CMDS*) (HS*)•••werd Collision Warning" (FCW) system (HS*)•••ne Departure Warning*I (LCW) system (HS*)•••ad Departure Mitigation" (RDM) system (HS*)•••ad Departure Mitigation" (RDM) system (HS*)•••iffe Sign Recognition (HS*)••••It start Assist*•••••10 day time running lights•••<	CTIVE SAFETY	EX-L	TOURING	BLACK EDITION
to high beam ³ • • • • • • • • • • • • • • • • • • •	rake Assist	•	•	•
to high beam ³ • • • • • • • • • • • • • • • • • • •	lectronic Brake-force Distribution (EBD)	•	•	
llision Mitigation Braking System ^{vard} (CMBS [®]) (HS [•]) ward Collision Warning ¹ (ECW) system (HS [•]) the Departure Warning ¹ (LCW) system (HS [•]) ad Departure Mitigation ² (RDM) system (HS [•]) big Sign Recognition (PSS) big Sign Recognition (PSS) big Sign Recognition (PSS) big Sign Recognition (PSS) sign Recognition (PSS) big Sign Recognition (PSS) big Sign Recognition (PSS) big Sign Recognition (PSS) sign Recognition (PSS) big Sign Recognition (PSS) sign Re		•		
nward Collision Warning* (FCW) system (HS*)•••ne Departure Warning* (LDW) system (HS*)••••ad Departure Mitigation* (RDM) system (HS*)••• <td< td=""><td>-</td><td>•</td><td></td><td></td></td<>	-	•		
ne Departure Warning* (LDW) system (HS*)•••ad Departure Mitigation* (RDM) system (HS*)•••			-	
ad Departure Mitigation ³ (RDM) system (HS*)•••iffic Sign Recognition (HS*)••		•		•
Affic Sign Recognition (HS*)••I Start Assist•••D daytime running lights•••e Pressure Monitoring System4 (TPMS) with tire fill assist•••icle Stability Assist2 (VSA®) with Traction Control•••ar seat reminder5••••SSIVE SAFETYEX-LTOURINGBLACK EDITIONxt-Generation Advanced Compatibility Engineering™ (ACE™) body structure•••indaLink™ Assist Automatic Emergency Response System3.6.7•••RS airbag system (front)••••int knee airbags••••wer Anchors and Tethers for Children (LATCH)555is cutter airbags with rollover sensor system•••aptive Cruise Control (ACC)3 with Low-Speed Follow (HS*)•••ar Cross Traffic Monitor ³ system••••ar Cross Traffic Monitor ³ system••••ar Cross Traffic Monitor ³ system••••		•	•	•
I start Assist ³ Assist ³ Assist ³ Assist ³ Assist ³ Assist ³ Assist ⁴		•	•	•
D daytime running lights•••e Pressure Monitoring System4 (TPMS) with tire fill assist•••		•	•	•
e Pressure Monitoring System ⁴ (TPMS) with tire fill assist • • hicle Stability Assist ³ (VSA [*]) with Traction Control • • ar seat reminder ⁵ • • SSIVE SAFETY EX-L TOURING BLACK EDITION xxt-Generation Advanced Compatibility Engineering [™] (ACE [™]) body structure • • • indaLink [™] Assist Automatic Emergency Response System ^{3,8,7} • • • RS airbag system (front) • • • • nartVent [™] side airbags • • • • wer Anchors and Tethers for Children (LATCH) 5 5 5 5 Net Ressist TECHNOLOGY EX-L TOURING BLACK EDITION aptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*) • • • aptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*) • • • ar Cross Traffic Monitor ³ system ³ • • • •		•	•	•
hicle Stability Assist ³ (VSA ⁸) with Traction Control of Contr		•	•	•
ar seat reminder ⁵ · FXL TOURING BLACK EDITION SSIVE SAFETY Compatibility Engineering™ (ACE™) body structure Art-Generation Advanced Compatibility Engineering™ (ACE™) body structure and Link™ Assist Automatic Emergency Response System ^{3.6.7} Rs airbag system (front) hartVent™ side airbags ont knee airbags wer Anchors and Tethers for Children (LATCH) le curtain airbags with rollover sensor system artVert ASSIST TECHNOLOGY RAUER ASSIST TECHNOLOGY aptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*) ar Cross Traffic Monitor ³ system ar Cross Traffic Monitor ³ system A Cross Traffic Monitor ³ system	ire Pressure Monitoring System⁴ (TPMS) with tire fill assist	•	•	•
SSIVE SAFETYEX-LTOURINGBLACK EDITIONxxt-Generation Advanced Compatibility Engineering™ (ACE™) body structure•••undaLink™ Assist Automatic Emergency Response System ^{3,6,7} •••RS airbag system (front)••••nartVent™ side airbags••••ont knee airbags•••••wer Anchors and Tethers for Children (LATCH)5555le curtain airbags with rollover sensor system••••AUVER ASSIST TECHNOLOGYEX-LTOURINGBLACK EDITIONaptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*)••••ar Cross Traffic Monitor ³ system•••••	ehicle Stability Assist ³ (VSA [®]) with Traction Control	•	•	•
xt-Generation Advanced Compatibility Engineering™ (ACE™) body structure•••and Link™ Assist Automatic Emergency Response System ^{36.7} •••••RS airbag system (front)••	ear seat reminder⁵	•	•	•
xt-Generation Advanced Compatibility Engineering™ (ACE™) body structure•••and Link™ Assist Automatic Emergency Response System ^{36.7} •••••RS airbag system (front)••	ASSIVE SAFETY	FX-I	TOURING	BLACK EDITION
IndaLink™ Assist Automatic Emergency Response System ^{36,7} •••RS airbag system (front)••••nartVent™ side airbags••••ont knee airbags••••wer Anchors and Tethers for Children (LATCH)555le curtain airbags with rollover sensor system••• RXVER ASSIST TECHNOLOGYEX-LTOURINGBLACK EDITION aptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*)•••ar Cross Traffic Monitor ³ system••••				DENOR EDITION
RS airbag system (front)•••nartVent™ side airbags••••ont knee airbags••••wer Anchors and Tethers for Children (LATCH)555le curtain airbags with rollover sensor system•••RIVER ASSIST TECHNOLOGYEX-LTOURINGBLACK EDITIONaptive Cruise Control (ACC)³ with Low-Speed Follow (HS*)•••nd Spot Information (BSI) system³••••ar Cross Traffic Monitor³ system••••		-		•
nartVent** side airbags•••ont knee airbags••••wer Anchors and Tethers for Children (LATCH)555le curtain airbags with rollover sensor system••• EXVER ASSIST TECHNOLOGYEX-LTOURINGBLACK EDITION aptive Cruise Control (ACC)³ with Low-Speed Follow (HS*)•••ar Cross Traffic Monitor³ system••••		•	•	•
In the air bagsImage: Image: Imag		•	•	•
wer Anchors and Tethers for Children (LATCH) 5 5 5 le curtain airbags with rollover sensor system • • • INVER ASSIST TECHNOLOGY EX-L TOURING BLACK EDITION aptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*) • • • nd Spot Information (BSI) system ³ • • • ar Cross Traffic Monitor ³ system • • •	-	•	•	•
Ide curtain airbags with rollover sensor system • • • INVER ASSIST TECHNOLOGY EX-L TOURING BLACK EDITION aptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*) • • • nd Spot Information (BSI) system ³ • • • ar Cross Traffic Monitor ³ system • • •	-			
EXPER ASSIST TECHNOLOGY EX-L TOURING BLACK EDITION aptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*) • • • nd Spot Information (BSI) system ³ • • • ar Cross Traffic Monitor ³ system • • •	ower Anchors and Tethers for Children (LATCH)	5	5	5
aptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*) • • • nd Spot Information (BSI) system ³ • • • ar Cross Traffic Monitor ³ system • • •	ide curtain airbags with rollover sensor system	•	•	•
aptive Cruise Control (ACC) ³ with Low-Speed Follow (HS*) • • • nd Spot Information (BSI) system ³ • • • ar Cross Traffic Monitor ³ system • • •	RIVER ASSIST TECHNOLOGY	FX-I	TOURING	BLACK EDITION
nd Spot Information (BSI) system ³ • • • • • • • • • • • • • • • • • • •				DENOR EDITION
ar Cross Traffic Monitor ³ system • •				•
				•
ne Keeping Assist System ³ (LKAS) (HS*) • • •		•	•	•
	ane Keeping Assist System ³ (LKAS) (HS*)	•	•	•

XTERIOR	EX-L	TOURING	BLACK EDITION
coustic windshield	•	•	•
coustic front and rear door glass	-	-	-
ctive shutter grille	•	•	•
uto-dimming side mirrors	•	•	•
	•	•	•
eated power door mirrors with integrated turn signal indicators	•	•	•
ody-coloured parking sensors (4 front/4 rear)	•	•	•
hrome door handles	•	•	
ody-coloured door handles			•
ont splash guards	۰	•	•
ont wiper de-icer	۰	٠	•
wer-folding door mirrors		٠	•
termittent rear window wiper/washer	•	•	•
D headlights (High and low beam)	•	•	•
D taillights	•	•	•
D fog lights	•	•	•
emory-linked side mirrors with reverse gear tilt-down	٠	٠	•
ne-touch power moonroof with tilt feature	٠	•	•
wer sliding doors	•	•	•
wer tailgate with programmable height	•	Hands-free access	Hands-free access
ear privacy glass	•	•	•
ar roofline spoiler with integrated brakelight		Body-coloured	Gloss black
ear window defroster	•	•	•
ariable rain-sensing intermittent windshield wipers			
		-	
DMFORT & CONVENIENCE	EX-L	TOURING	BLACK EDITION
-volt power outlets (Front: 1; cargo area: 1)	۰	۰	•
-volt power outlet (3rd row)	•	•	•
5-volt power outlet, front	•	•	•
nbient lighting (instrument panel, front door handles, footwell)		Blue	Red
ito-dimming rearview mirror	•	•	•
abinTalk™³ in-car PA	٠	٠	•
abinWatch™³ rear seat monitor		•	•
onversation mirror with sunglasses holder	•	•	•
splay Audio System³ with Honda Satellite-Linked Navigation System™3.8 nd bilingual Voice Recognition		٠	٠
river's and front passenger's illuminated vanity mirrors	•	•	
por mats	1st/2nd/3rd row	1st/2nd/3rd row	1st/2nd/3rd row
ont bag hook	•	•	•
ont passenger's seatback pocket	•	•	
andsFreeLink™-bilingual Bluetooth® wireless mobile phone interface ^{3,6}			
omelink® remote system ⁹	•	•	•
mobilizer theft-deterrent system	-	-	
	•	•	
tegrated 2nd-row sunshades	•	•	•
tegrated 2nd-row sunshades tegrated 3rd-row sunshades	• • •	•	•
tegrated 2nd-row sunshades tegrated 3rd-row sunshades aintenance Minder™ system	• • •	• • • •	•
tegrated 2nd-row sunshades tegrated 3rd-row sunshades aintenance Minder™ system ulti-angle rearview camera³ with dynamic guidelines	• • • • • • •	•	• • •
tegrated 2nd-row sunshades tegrated 3rd-row sunshades aintenance Minder™ system ulti-angle rearview camera³ with dynamic guidelines wer door locks	• • • •	•	• • • •
egrated 2nd-row sunshades egrated 3rd-row sunshades aintenance Minder™ system ulti-angle rearview camera³ with dynamic guidelines wer door locks wer windows with auto-up/down	• • • • •	•	• • • •
egrated 2nd-row sunshades egrated 3rd-row sunshades sintenance Minder™ system Jlti-angle rearview camera³ with dynamic guidelines wer door locks wer windows with auto-up/down	• • • • • • • • • • • • • • • • • • • •	•	• • • • •
egrated 2nd-row sunshades egrated 3rd-row sunshades aintenance Minder™ system Jlti-angle rearview camera³ with dynamic guidelines wer door locks wer windows with auto-up/down oximity key entry system and pushbutton start	• • • • • • • •	•	• • • • • •
eegrated 2nd-row sunshades eegrated 3rd-row sunshades aintenance Minder™ system Jlti-angle rearview camera³ with dynamic guidelines wer door locks wer windows with auto-up/down oximity key entry system and pushbutton start aar air vents	• • • • • • • • • • • •	•	• • • • • • • •
egrated 2nd-row sunshades egrated 3rd-row sunshades aintenance Minder [™] system ulti-angle rearview camera ^a with dynamic guidelines wer door locks wer windows with auto-up/down oximity key entry system and pushbutton start ar air vents ar-seat heater ducts	• • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • •
egrated 2nd-row sunshades egrated 3rd-row sunshades aintenance Minder™ system Itti-angle rearview camera³ with dynamic guidelines wer door locks wer windows with auto-up/down oximity key entry system and pushbutton start ar air vents ar-seat heater ducts mote engine start	• • • •	• • • • • • • • • • • • • • • • • • • •	
tegrated 2nd-row sunshades tegrated 3rd-row sunshades aintenance Minder [™] system ulti-angle rearview camera ³ with dynamic guidelines ower door locks ower windows with auto-up/down oximity key entry system and pushbutton start ara riz vents ara-seat heater ducts emote engine start aatback pockets (front-row, upper)	• • • • •	• • • • • • • • • • • • • • • • • • • •	٠
tegrated 2nd-row sunshades tegrated 3rd-row sunshades aintenance Minder [™] system ulti-angle rearview camera ³ with dynamic guidelines wer door locks ower windows with auto-up/down oximity key entry system and pushbutton start ear air vents ara riv vents ara rivents ara rivents ara-seat heater ducts mote engine start eatback pockets (front-row, upper) ecurity system	• • • • •	• • • • • • • • • • • • • • • • • • • •	•
egrated 2nd-row sunshades egrated 3rd-row sunshades intenance Minder [™] system ulti-angle rearview camera ^a with dynamic guidelines wer door locks wer windows with auto-up/down ximity key entry system and pushbutton start ar air vents ar-seat heater ducts mote engine start atback pockets (front-row, upper) curity system sering wheel-mounted controls (cruise control, audio, telephone and ulti-Information Display)	• • • • • • • •		• •
tegrated 2nd-row sunshades tegrated 3rd-row sunshades aintenance Minder [™] system ulti-angle rearview camera ³ with dynamic guidelines ower door locks ower windows with auto-up/down oximity key entry system and pushbutton start ara riz vents ara-seat heater ducts emote engine start aatback pockets (front-row, upper)	• • • • • • • •		• • •

Adjustable • • • • • • • • • • • • • • • • • • •	Adjustable Adjustable • • • • • • • • • • With piping •	Adjustable Adjustable • • • • • • • • • • • • • • • • • • •
• • • • • • •	Adjustable • • • • •	Adjustable • • • • • • • • • • • • • • • • • • •
• • • • •	• • • •	• • • • • • • • • • • • • • • • • • •
• • • •	• •	
• • • •	• •	
• • • •	• •	
• • •	•	
• • •	•	
	• With piping •	
	with piping	
	•	
		•
8	•	•
	8	8
	•	•
EX-L	TOURING	BLACK EDITION
•		
	•	·
•	•	•
•	•	•
•	Including Navigation ^{3,8}	Including Navigation ^{3,8}
•	•	•
•		
	•	•
	•	•
	•	•
•	•	•
0		2
		1
I	I	I
•	•	•
•	•	•
•	۰	•
EX-L	TOURING	BLACK EDITION
12.2/8.5/10.6	12.2/8.5/10.6	12.2/8.5/10.6
EX-L	TOURING	BLACK EDITION
		3973
		2452
		929
		2084
		73.8
		2730
		148
, ,		983/995/973
1767		1767
, ,	1229/1646/1229	1229/1646/1229
1040/1038/967	1040/1038/967	1040/1038/967
5213	5213	5213
4534	4534	4534
1603/1564/1525	1603/1564/1525	1603/1564/1525
6.05	6.05	6.05
		3000
		• • • •

HS* = Feature is a component of the Honda Sensing® suite of safety and driver assist features.

1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

 With the required accessory towing package. See your Owner's Manual for proper towing operation.
 None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual. 4. For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.

5. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.

6. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. GPS satellite signal reception and available cellular data and/or voice connection; or 2. connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.

7. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception

8. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

9. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).

0. Subscription to HondaLink[™] services is required. HondaLink[™]-equipped vehicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon trial expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink[™] to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Some restrictions may apply. For additional HondaLink[™] information, please visit www.honda.ca/hondalink and www.honda.ca/privacy. New vehicles are equipped with a complimentary time or data trial period, whichever comes first. After the trial period, contact AT&T or visit att.com/honda to purchase available data plans

4G LTE connection speeds may vary by region.

12. Coverage varies by market.

12: Oordage variable in certain areas. Includes a no-charge trial of three months. 13: Only available in certain areas. Includes a no-charge trial of three months. 14: Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca